

Batteries/Accumulators

Date:14.06.2026

Article number: 104 001 - for NiCd- and Li-Ion-batteries


Table of content

Information	3
Measurements	3
Colors	3

Information

Hazardous Goods Container with UN2795 and UN 3480 approval for NiCD- and Li-Ion-batteries. Usable for a maximum battery size of 380 x 380 x 355 [mm] and a maximum weight of 56kg. The container pass the ATA300 Cat 1 requirements (280 cycle drop test). On stock available in the color anthracite and moulded-in letters "BTY". Containers in individual colors, individual embossings and made-to-measure foam cushionings for your devices can be produced up to the order. Special sizes on request.

Measurements



Interior (l x w x h (base + lid)) [mm]:
380 x 380 x 355

Exterior (l x w x h (base + lid)) [mm]:
500 x 500 x 450

Colors



RAL: similar to
9011, black



RAL: similar to
6014, army green



RAL: similar to
9010, white



RAL: similar to
9007, silver grey



RAL: similar to
1021, yellow



RAL: similar to
2004, orange



RAL: similar to
2002, red



RAL: similar to
5002, blue



RAL: similar to
7016, dark grey



RAL: similar to
1002, desert tan

Contact

Date:14.06.2026

Thermodyne GmbH

Nordstr. 15

49086 Osnabrück

Dr.-Ing. Daniel Bätzel

+49 (0) 541 / 181 4997-95

www.thermodyne.de

info@thermodyne.de