

AppliCase

Date:01.01.2026

Article number: 105 004-61 Box




Table of content

Information 3

Measurements 3

Colours 3

Standard equipment 3

Options 5


Service 6

Information

AppliCases are the attractively designed all-rounders among service cases. They are produced individually, customised for the specific purpose. The structure made of impact-resistant polyethylene provides the necessary robustness in tough working environments just as much as carrying convenience due to their low weight. AppliCases are the optimal carry case for everyone who has to rely on their instruments and tools during their daily work.

Equipped with handles on the sides, you can carry the container like a transportation box and can use it perfectly as a toolcase, equipment case or special case.

Measurements



Interior (l x w x h (base + lid)) [mm]:
725 x 550 x 460 (390 + 70)

Exterior (l x w x h (base + lid)) [mm]:
800 x 600 x 495 (410 + 85)

Colours



RAL: similar to
9010, white



RAL: similar to
1021, yellow



RAL: similar to
2004, orange



RAL: similar to
2002, red



RAL: similar to
6014, army green



RAL: similar to
5002, blue



RAL: similar to
9011, black



RAL: similar to
7016, dark grey




RAL: similar to
9007, silver grey

Standard equipment




Webbing lid stay

Webbing lid stay (different lengths):
 400 010a: 180mm (distance between middle of ears)
 400 010b: 170mm
 400 010c: 315mm
 400 010d: 460mm
 Quantity: 2
 Article nr.: 400 010



Hinge

Hinge, 50x50mm, Ø5,0 (stainless steel, black)
 Quantity: 3
 Article nr.: 400 146



Aluminium profile, small, schwarz

Aluminium profile, small, schwarz
 Quantity: 1
 Article nr.: 300 052_s



Handle

Suitcase handle, big, spring-loaded and with stop at 90° (plastic, black)
 Quantity: 2
 Article nr.: 400 390



Plastic corner

Top plastic corner (black)
 Quantity: 4
 Article nr.: 400 420



Plastic corner

Bottom plastic corner (black)
 Quantity: 4
 Article nr.: 400 421



Suitcase hasp

Suitcase hasp, large, lockable with AppliCase logo (plastic, black)
 Quantity: 2
 Article nr.: 400 743

Options



Reinforcements

Container reinforced with aluminium frames for special stability requirements



Removable lid

Lid of box/case/trolley is removable completely



Black edition

Fitting parts and aluminium frame are black coated, stainless steel possible



Equipment

Alternative fitting parts



labeling

Stickers, laser engraved sign, screen printing, hot stamping, lid embossing

Service



solution development

We are happy to develop a solution for your packaging task with you



design development

Design, calculation, constructive design of container



component measurement

Contours and dimensions are measured precisely for a perfect fitting foam



component placement

customer components are placed accurate in containers



Drop test

Planning, implementation, evaluation and documentation of standardized drop tests



Certificates

Certificates, e.g. Federal Institute for Materials Testing and Research (BAM)



Logistics/ transactions

Blanket order, stock, customs clearance, export, etc.



OEM solutions

Design of special and customized containers



new developments

Design of new tooling for tailor made containers

Contact

Date:01.01.2026

Thermodyne GmbH

Nordstr. 15

49086 Osnabrück

Dr.-Ing. Daniel Bätzel

+49 (0) 541 / 181 4997-95

www.thermodyne.de

info@thermodyne.de