

Peli Case

Date:21.02.2026

Article number: Peli 1200


Table of content

Information	3
Measurements	3
Colours	3
Options	4
Service	5

Information

Technical Details: automatic pressure equalization valve (balances interior pressure and keeps water out), watertight (IP67), crushproof, dustproof, Peli's legendary lifetime guarantee (where applicable by law). Optional: Pick N Pluck™ with convoluted lid foam, panel frame.

Measurements



Interior (l x w x h (base + lid)) [mm]:
235 x 181 x 105 (75 + 30)

Exterior (l x w x h (base + lid)) [mm]:
270 x 246 x 124

Weight 1,2 kg

Colours



RAL: similar to
7021, black



RAL: similar to
7045, silver grey



RAL: similar to
1023, yellow



RAL: similar to
2004, orange



RAL: similar to
1019, desert tan

Options



case edition

Container with handle at the front (middle), portable and putting down as case



Watertight according to IP67

Container is watertight according to tightness standard IP67



Equipment

Alternative fitting parts



labeling

Stickers, laser engraved sign, screen printing, hot stamping, lid embossing



available from stock

container are available from stock (packaging unit: 1 EURO pallet)

Service



solution development

We are happy to develop a solution for your packaging task with you



design development

Design, calculation, constructive design of container



component measurement

Contours and dimensions are measured precisely for a perfect fitting foam



component placement

customer components are placed accurate in containers



Drop test

Planning, implementation, evaluation and documentation of standardized drop tests



Certificates

Certificates, e.g. Federal Institute for Materials Testing and Research (BAM)



Logistics/ transactions

Blanket order, stock, customs clearance, export, etc.



OEM solutions

Design of special and customized containers

Contact

Date:21.02.2026

Thermodyne GmbH

Nordstr. 15

49086 Osnabrück

Dr.-Ing. Daniel Bätzel

+49 (0) 541 / 181 4997-95

www.thermodyne.de

info@thermodyne.de