Batteries/Accumulators

Date:26.10.2026

Article number: 104 001 - for NiCd- and Li-Ion-batteries

www.thermodyne.de
info@thermodyne.de

Thermodyne®
VERPACKUNGSSYSTEME

Table of content

Information 3
Measurements 3
Colors 3

Information

Hazardous Goods Container with UN2795 and UN 3480 approval for NiCD- and Li-Ion-batteries. Usable for a maximum battery size of 380 x 380 x 355 [mm] and a maximum weight of 56kg. The container pass the ATA300 Cat 1 requirements (280 cycle drop test). On stock available in the color anthracite and moulded-in letters "BTY". Containers in individual colors, individual embossings and made-to-measure foam cushionings for your devices can be produced up to the order. Special sizes on request.

Measurements

Interior (l x w x h (base + lid)) [mm]:
380 x 380 x 355

Exterior (l x w x h (base + lid)) [mm]:
500 x 500 x 450

Colors

RAL: similar to 9011, black

RAL: similar to 6014, army green

RAL: similar to 9010, white

RAL: similar to 9007, silver grey

RAL: similar to 1021, yellow

RAL: similar to 2004, orange

RAL: similar to 2002, red

RAL: similar to 5002, blue

RAL: similar to 7016, dark grey

RAL: similar to 1002, desert tan

Contact

Date:26.10.2026

Thermodyne GmbH

Nordstr. 15
49086 Osnabrück
Dr.-Ing. Daniel Bätzel

+49 (0) 541 / 181 4997-95
www.thermodyne.de
info@thermodyne.de