

Trolley

Date:25.08.2026

Article number: 102 030-265 Trolley



Table of content

Information 3


Measurements 3

Colors 3

Information

Trolley 102 030-265 ist aufgrund seines Behältermaterials aus hochschlagzähem Polyethylen ideal für den Einsatz in rauen und anspruchsvollen Einsatzumgebungen geeignet. In Temperaturbereichen von -40°C bis +71°C halten die leichten Kunststoffschalen den stärksten physischen und chemischen Einflüssen Stand. Das Innere des Trolleys bietet mit Maßen von 681 mm x 514 mm x 265 mm (L X B X H) ausreichend Platz für verschiedenste elektronische Komponenten, Werkzeuge oder Messgeräte. Für zusätzlichen Schutz können Behälterversteifungen außen und Schaumstoffzuschnitte im Inneren des Trolleys verbaut werden. Individuelle Anforderungen, wie mechanische Einbauten und elektronische Anbauten werden auf Anfrage gerne umgesetzt.

Measurements



Interior (l x w x h (base + lid)) [mm]:
681 x 514 x 265 (185 + 80)

Exterior (l x w x h (base + lid)) [mm]:
750 x 560 x 340 (235 + 105)

Colors



RAL: similar to
9011, schwarz



RAL: similar to
7016, anthrazit



RAL: similar to
9007, silbergrau



RAL: similar to
9010, weiß



RAL: similar to
1021, gelb



RAL: similar to
2004, orange



RAL: similar to
2002, rot



RAL: similar to
6014, armeegrün



RAL: similar to
5002, blau



RAL: similar to
1002, sand

Contact

Date:25.08.2026

Thermodyne GmbH

Nordstr. 15

49086 Osnabrück

Dr.-Ing. Daniel Bätzel

+49 (0) 541 / 181 4997-95

www.thermodyne.de

info@thermodyne.de