

Transportbox

Date: 18.07.2026

Article number: 72 32 05 S




Table of content

Information 3


Measurements 3

Colors 3

Information

Durch die Fertigung der Behälterschalen aus hochschlagzähem Polyethylen eignet sich Transportbehälter 72 32 05 S insbesondere zum Transport und zur Lagerung von sehr sensiblen Komponenten, wie Mess- und Prüfgeräten, Elektronikkomponenten und weiterer hochsensibler Bauteile. Der Behälter weist Innenmaße von 670 mm, 270 mm, und 305 mm (L X B X H) auf und hat ein Leergewicht von 4,6 Kilogramm. Er kann sowohl als Kofferausführung mit einem mittig an der Vorderseite verbauten Griff, als auch als Trolleysausführung mit Ziehgriff und Rollensystem hergestellt werden. Als Systembehälter verfügt er über die Möglichkeit, mit Transportbehältern unterschiedlicher Größen gestapelt zu werden.

Measurements



Interior (l x w x h (base + lid)) [mm]:
670 x 270 x 305 (185 + 120)

Exterior (l x w x h (base + lid)) [mm]:
720 x 320 x 325 (195 + 130)

Weight 4,6 kg

Colors



RAL: similar to
9011, schwarz



RAL: similar to
7016, anthrazit



RAL: similar to
9007, silbergrau



RAL: similar to
9010, weiß



RAL: similar to
1021, gelb



RAL: similar to
2004, orange



RAL: similar to
2002, rot



RAL: similar to
6014, armee grün



RAL: similar to
5002, blau



RAL: similar to
1002, sand

Contact

Date:18.07.2026

Thermodyne GmbH

Nordstr. 15

49086 Osnabrück

Dr.-Ing. Daniel Bätzel

+49 (0) 541 / 181 4997-95

www.thermodyne.de

info@thermodyne.de