

Transportbox

Date:19.07.2026

Article number: Trolley 2013-500




Table of content

Information 3


Measurements 3

Colors 3

Information

Thermodyne Trolley 2013-500 wird in neun verschiedenen Farben angeboten und besteht aus widerstandsfähigem und hochschlagfestem Polyethylen (PE-HD). Dieses Material zeichnet sich durch sein geringes Gewicht sowie seine hohe Beständigkeit gegenüber chemischen und physikalischen Einflüssen aus, wodurch der Trolley besonders gut für den Transport empfindlicher Geräte wie Sensoren oder Messinstrumente geeignet ist. Der Trolley ist mit den Rollensystemen 400 150 oder 400 165 verfügbar und kann unterschiedliche Schutzarten wie IP54, IP65 oder IP67 erfüllen. Eine Fertigung nach der ATA300, Cat. 1 Norm ist auf Anfrage ebenfalls möglich, was einen Einsatz im Luftverkehr möglich macht.

Measurements



Interior (l x w x h (base + lid)) [mm]:
764 x 356 x 425 (300 + 125)

Exterior (l x w x h (base + lid)) [mm]:
830 x 405 x 500 (350 + 150)

Colors



RAL: similar to
9011, schwarz



RAL: similar to
7016, anthrazit



RAL: similar to
9007, silbergrau



RAL: similar to
9010, weiß



RAL: similar to
1021, gelb



RAL: similar to
2004, orange



RAL: similar to
2002, rot



RAL: similar to
6014, armeegrün



RAL: similar to
5002, blau



RAL: similar to
1002, sand

Contact

Date:19.07.2026

Thermodyne GmbH

Nordstr. 15

49086 Osnabrück

Dr.-Ing. Daniel Bätzel

+49 (0) 541 / 181 4997-95

www.thermodyne.de

info@thermodyne.de